

Union Types in Flow & Reason

Jake Zimmerman

May 17, 2018

Union types are Powerful!

Union Types: An Example

```
const impossible = <T>(x: empty): T =>  
  throw new Error('impossible!');
```

```
type AorB = 'A' | 'B';
```

```
const whichBranch = (x: AorB): string => {  
  switch (x) {  
    case 'A':  
      return "In branch A";  
    case 'B':  
      return "In branch B";  
    default:  
      return impossible(x);  
  }  
}
```


Union types in Flow have a cost :(

Outline

- ▶ Set up a problem that union types can solve
- ▶ Further motivate **why** we want union types
- ▶ Examine the cost of union types in Flow
- ▶ Show how Reason avoids this cost
- ▶ Bonus: compare other compile-to-JS languages

Union Types in a React Component

Consider a simple two-factor authentication modal:



We can model this with a union type

```
type Screen =  
  | 'LoadingScreen'  
  | 'CodeEntryScreen'  
  | 'SuccessScreen';
```


```
type State = {  
  // ...  
  screen: Screen,  
};
```

Benefits to using a union type:

- ▶ Documentation in the types:
"These are **all** the cases."
- ▶ More information for the compiler!
Flow can warn us when we've forgotten a case.

Initial Feedback? Add a "cancel" button

After showing it to our team, someone suggests adding a cancel button:



In particular: no need for a cancel button on the last screen!

needsCancelButton: Initial Implementation


```
const needsCancelButton = (screen: Screen): boolean => {  
  // Recall: 'SuccessScreen' is final, so it doesn't  
  // make sense to have a cancel button.  
  return screen !== 'SuccessScreen';  
};
```

needsCancelButton: Initial Implementation

```
const needsCancelButton = (screen: Screen): boolean => {  
  // Recall: 'SuccessScreen' is final, so it doesn't  
  // make sense to have a cancel button.  
  return screen !== 'SuccessScreen';  
};
```

```
render() {  
  needsCancelButton(this.state.screen) &&  
    <CancelButton onClick={this.handleClick} />  
  
  // Look at this.state.screen, then  
  // render <LoadingScreen />  
  // ... OR <CodeEntryScreen />  
  // ... OR <SuccessScreen />  
}
```

Adding a 'FailureScreen'




Our Updated Screen Type

```
type Screen =  
  | 'LoadingScreen'  
  | 'CodeEntryScreen'  
  | 'SuccessScreen'  
  // New case to handle too many wrong attempts:  
  | 'FailureScreen';
```

Our Updated Screen Type

```
type Screen =  
  | 'LoadingScreen'  
  | 'CodeEntryScreen'  
  | 'SuccessScreen'  
  // New case to handle too many wrong attempts:  
  | 'FailureScreen';  
  
render() {  
  // ...  
  // Look at this.state.screen, then  
  // render <LoadingScreen />  
  // ... OR <CodeEntryScreen />  
  // ... OR <SuccessScreen />  
  // ... OR <FailureScreen />  
}
```

Wait, what's that cancel button doing there?



We forgot to update `needsCancelButton`

There shouldn't have been a cancel button on `'FailureScreen'`.

Ideally, Flow tells us all places that need to be updated when adding a new case.

This time, Flow **couldn't** warn us that our function needed to be updated:

```
const needsCancelButton = (screen: Screen): boolean => {  
  return screen !== 'SuccessScreen';  
};
```

First reaction: just fix the bug.

```
const needsCancelButton = (screen: Screen): boolean => {  
  return (  
    screen !== 'SuccessScreen' ||  
    screen !== 'FailureScreen'  
  );  
};
```

But we can do better! Let's **prevent future bugs** from happening...

switch: Taking Advantage of Exhaustiveness

```
const needsCancelButton = (screen: Screen): boolean => {  
  switch (screen) {  
    case 'LoadingScreen':  
      return true;  
    case 'CodeEntryScreen':  
      return true;  
    case 'SuccessScreen':  
      return false;  
    default:  
      // [flow]: Error: Cannot call `impossible` with  
      // `screen` bound to `x` because string literal  
      // `FailureScreen` is incompatible with empty  
      return impossible(screen);  
  }  
}
```

Takeaway: Only use union types with `switch`!

Every time we use a union **without** a `switch` statement, Flow **can't tell us** when we're missing something.

Always¹ use `switch` statements with unions!

¹Of course, use your best judgement. Sometimes you don't want to use a `switch`. But *know* that you're giving up static guarantees!

Correctness, but at what cost?

// ----- before: 62 bytes (minified) -----

```
const needsCancelButton = (screen) => {  
  return screen !== 'SuccessScreen';  
};
```

Correctness, but at what cost?

```
// ----- after: 240 bytes (minified) -----  
const impossible = (x) => {  
  throw new Error('This case is impossible.');
```



```
};  
const needsCancelButton = (screen) => {  
  switch (screen) {  
    case 'LoadingScreen':  
      return true;  
    case 'CodeEntryScreen':  
      return true;  
    case 'SuccessScreen':  
      return false;  
    default:  
      return impossible(screen);  
  }  
};
```

Correctness, at the cost of bundle size!

`needsCancelButton` is a bit of a pathological case:

- ▶ Short case bodies.
- ▶ Only one case is different.
- ▶ Long-ish string constants.

But still: I've **definitely** felt the impact in the wild!

Types and Optimizing Compilers

Types promise better compiled code.

Proponents of types argue:

“If we write code using **higher-level abstractions**, then compilers can do more optimizations for us.”

Flow is not a compiler

We've seen this **isn't** a promise Flow gives us.

Flow isn't a **compiler**, only a type checker.

By stripping the types, Babel / Webpack / Uglify lose access to making potential optimizations.

In particular: we threw away the exhaustiveness guarantee!

Enter: Reason

Reason (i.e., ReasonML) brings OCaml tools to the web.

OCaml offers:

- ▶ Mature optimizing compiler
- ▶ Wide ecosystem of packages
- ▶ **Great** type system

Reason adds:

- ▶ Tight JavaScript interop (via BuckleScript)
- ▶ Familiar syntax (looks like Flow!)

needsCancelButton in Reason

```
type screen =  
  | LoadingScreen  
  | CodeEntryScreen  
  | SuccessScreen;  
  
let needsCancelButton = (screen: screen): bool => {  
  switch (screen) {  
    | LoadingScreen => true;  
    | CodeEntryScreen => true;  
    | SuccessScreen => false;  
  }  
};
```

Reason looks pretty familiar!

Key differences compared to Flow:

- ▶ Custom datatype, instead of abusing strings
- ▶ Replaced `case` keyword with pipe in `switch`
- ▶ Exhaustiveness by default

The `|` instead of `case` is nice: we can copy / paste our type definition to kickstart our `switch` statement!

Reason's Generated Code

```
// Generated by BUCKLESCRIPT VERSION 3.0.1
```

```
'use strict';
```

```
function needsCancelButton(status) {
```

```
    if (status !== 2) {
```

```
        return false;
```

```
    } else {
```

```
        return true;
```

```
    }
```

```
}
```

```
// -----
```

Entire `switch` statement optimized down to a single `if !`
`'SuccessScreen'` shortened to `2 !`

Reason's Generated Code + uglify

```
"use strict";  
function needsCancelButton(n){  
  return !(n>=2)  
}
```

Uglify can shorten it even further: no `if` statement!

This is **even better** than our hand-written implementation.

Yet, we **didn't sacrifice** safety or readability!

Safety AND Performance

Reason's type system delivered on the promise of types in a way Flow couldn't:

- ▶ We wrote high-level, expressive code.
- ▶ The type checker gave us strong guarantees about the correctness (exhaustiveness) of our code.
- ▶ The compiler translated that all to tiny, performant code.

Bonus: Comparing Other Languages

TypeScript

```
var Screen_ = (function (Screen_) {  
    Screen_[Screen_["LoadingScreen"] = 0] = "LoadingScreen";  
    Screen_[Screen_["CodeEntryScreen"] = 1] = "CodeEntryScreen";  
    Screen_[Screen_["SuccessScreen"] = 2] = "SuccessScreen";  
})(Screen_ || (Screen_ = {}));  
var impossible = function (x) {  
    throw new Error('This case is impossible.');};  
var needsCancelButton = function (screen) {  
    switch (screen) {  
        case Screen_.LoadingScreen: return true;  
        case Screen_.CodeEntryScreen: return true;  
        case Screen_.SuccessScreen: return false;  
        default: return impossible(screen);  
    }  
};
```


PureScript

```
"use strict";
var LoadingScreen = (function () {
  function LoadingScreen() {};
  LoadingScreen.value = new LoadingScreen();
  return LoadingScreen;
})();
var CodeEntryScreen = (function () {
  function CodeEntryScreen() {};
  CodeEntryScreen.value = new CodeEntryScreen();
  return CodeEntryScreen;
})();
var SuccessScreen = (function () {
  function SuccessScreen() {};
  SuccessScreen.value = new SuccessScreen();
  return SuccessScreen;
})();
var needsCancelButton = function (v) {
  if (v instanceof LoadingScreen) {
    return true;
  };
  if (v instanceof CodeEntryScreen) {
    return true;
  };
  if (v instanceof SuccessScreen) {
    return false;
  };
  throw new Error("Failed pattern match at Main line 10, column 1");
};
```

Elm

```
var _user$project$Main$needsCancelButton = function (page) {  
  var _p0 = page;  
  switch (_p0.ctor) {  
    case 'LoadingScreen':  
      return true;  
    case 'CodeEntryScreen':  
      return true;  
    default:  
      return false;  
  }  
};  
var _user$project$Main$SuccessScreen = {ctor: 'SuccessScreen'};  
var _user$project$Main$CodeEntryScreen = {ctor: 'CodeEntryScreen'};  
var _user$project$Main$LoadingScreen = {ctor: 'LoadingScreen'};
```

Further Reading

- ▶ Case Exhaustiveness in Flow
- ▶ Union Types in Flow & Reason
- ▶ Tagged Unions in Flow
- ▶ Pattern Matching in Reason